Naturopathy and yoga in ameliorating multiple hormonal imbalance: a single case report

Article · February 2016 DOI: 10.18203/2320-1770.ijrcog20160612				
CITATIONS 0	5	READS 434		
1 author:				
	Pradeep MK Nair Indian Academy for Scientific Writing and Research 24 PUBLICATIONS 58 CITATIONS SEE PROFILE			
Some of the authors of this publication are also working on these related projects:				
Clinical Naturopathy: A manual for physicans and students View project				
Drainet	Tuberculosis View project			

DOI: http://dx.doi.org/10.18203/2320-1770.ijrcog20160612

Case Report

Naturopathy and yoga in ameliorating multiple hormonal imbalance: a single case report

Pradeep M. K. Nair*

National Institute of Naturopathy, Department of Intramural Research, Ministry of AYUSH, Government of India, Pune, Maharashtra, India

Received: 05 January 2016 **Accepted:** 06 February 2016

*Correspondence: Dr. Pradeep M. K. Nair,

E-mail: drpradeep18bnys@gmail.com

Copyright: © the author(s), publisher and licensee Medip Academy. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

ABSTRACT

Hormonal imbalances are common among the women who are in the halfway of their reproductive age. There are lot of factors like stress, diet, lifestyle etc. which contributes to this hormonal dysfunctions. However these factors are merely addressed by the existing management strategies. A 37 year old female presented with hypothyroidism and associated hyperprolactinemia had undergone Naturopathy and yoga interventions for a period of 18 months. Her baseline TSH and prolactin levels were 9.2 U/ml and 34 ng/ml respectively. Her anti-mullerian hormone (AMH) levels also fell down to 0.3 ng/ml. Naturopathy and yoga based lifestyle interventions including hydrotherapy, mud therapy, yoga therapy and acupuncture were given for different durations has streamlined the hormone levels to normal range (TSH-4.6 U/ml, prolactin- 19.6 ng/ml, AMH-2.6 ng/ml). The results indicate that naturopathy and yoga has a positive role in reinstating the hormonal homeostasis. However large scale studies are warranted to bestow better care.

Keywords: Hormonal Imbalance, Naturopathy, Yoga, Hypothyroidism, Hyperprolactinemia

INTRODUCTION

Hypothyroidism is common among the women in reproductive age. Thyroid dysfunction can affect fertility in various ways resulting in anovulatory cycles, luteal phase defect, high prolactin (PRL) levels, and sex hormone imbalances. Hormonal imbalances even affect the mood and day to day activities of the female. There are many contributing factors such as diet, stress, improper lifestyle etc for these hormonal imbalances which are scarcely addressed by the current management strategies. This is a single case report of a patient with multiple hormonal imbalances who underwent naturopathy and yoga treatments.

CASE PRESENTATION

A 37 year old female visited our Out-patient department of National Institute of Naturopathy, Pune on May 2014,

pre diagnosed with hypothyroidism (TSH level >9.0 U/mL) and elevated Prolactin levels (34 ng/ml). She has been diagnosed with hypothyroidism since 22 years and presented with swelling pain and tingling sensation all over the body. She also complained of hot flashes in the body with irregular menstrual cycles, bloated abdomen with gas and constipation since 22 years. The patient complained about dryness in her vagina during intercourse and also had a history of two miscarriages. She was under Thyronorm (levothyroxine sodium) 125 mcg when she visited our clinic. She narrated that every time she takes some drugs she will develop some trouble like improper libido, hair fall, mood swings etc. At the later stage she was also diagnosed with a lowered level of anti-mullerian hormone-AMH (0.3 ng/ml).

Our patient was initially given a counseling session to make her understand the naturopathy and yogic approach towards hormonal imbalance. She was then provided with naturopathy and yoga based life style modification program (NYLMP) in which she was asked to cut down leafy vegetables from her diet. 50-60% portion of her diet was converted as raw fruits initially and later supervised therapeutic fasting on tender coconut water was introduced for 2 days in a week regularly. Besides these dietary changes she underwent Naturopathy treatments like full immersion bath, mud bath, cold hip bath, neutral water throat pack and cold abdominal pack. These treatments were provided on the basis of naturopathic principles which supports the healing forces with in the body.² Additionally she underwent yoga interventions like Anulom vilom for (Alternate Nostril breathing), Kapalapathi (Fast abdominal breathing) and Surva namaskaras (Sun salutations) for one hour every day. She developed a drop in her AMH during the course of treatment, she was then intervened with acupuncture for 21 days in which Du (Du-20), Ren (Ren-2, Ren-3, Ren-5, Ren-6, Ren-9, Ren-12), gall bladder (GB 24, GB-25), spleen (Sp-6), stomach (St-36) and kidney (K-3) meridians were punctured.

DISCUSSION

The patient responded well to the NYLMP. Her baseline data and post intervention data were tabulated in Table 1. She gradually bettered from her symptoms. She underwent naturopathy and yoga interventions for 18 months in which her weight reduced to 51 kg from 63 kg. She expressed that she is feeling lighter and fresh than before. She reduced the dosage of her thyronorm from 125 mcg to nil.

Table 1: Changes in the hormones before and after the Interventions.

Parameters	Baseline data	Post intervention data
Height	157 cms	157 cms
Weight	63 Kg	51 Kg
Thyroid stimulating hormone	9.2 U/ml	4.6 U/ml
Prolactin	34 ng/ml	19.6 ng/ml.
Anti-mullerian hormone	0.3 ng/ml	2.6 ng/ml

Naturopathy can be defined as a drugless, non-invasive, rational and evidence-based system of medicine imparting treatments with natural elements based on the theories of vitality, toxaemia and the self-healing capacity of the body, as well as the principles of healthy living. Naturopathy considers human body as a complete unit and the treatments are based on panchamahaboothas (Five great elements- air, water, space, fire and earth). The main areas to address in any case of hormonal balance are the contributing factors like stress, diet, lifestyle etc. Naturopathy modalities helps in bringing balance in these impaired mechanisms of the body and regulates the hormonal cycles as demonstrated in this

case. Cold water immersion baths (55-65 °F) will help in reducing excess stress in the body. Shevchuk NA 2007 has shown that cold exposure has shown to temporarily increase the plasma level of beta endorphin³ which may aid in relieving stress. Other hydrotherapy modalities like hip bath, local packs not only induce circulatory changes but also dissipate algogenic chemicals and influences the sympathetic activity in the body. 4-6 The efficay of yoga in asserting hormonal homeostatsis is well known. Mud therapy has shown to improve the membrane potential and activates the hormones⁷ which may aid in regulating impaired hormone levels. Yogic techniques like Pranayama, Asanas and meditation practices are being used extensively for a wide range of endocrine dysfunctions.⁸ Empirical evidences suggests acupuncture can enhance women's reproductive functioning and mitigative fertility issues. Naturopathy is a wholesome approach intended to heal the underlying cause by averting the root cause of the disease. It also provides a healthy internal environment to the body to accelerate its healing mechanisms. Future medical approach towards hormonal imbalances should be in such a way that the person has to be considered as a whole entity than merely treating the symptoms. However large scale studies are needed to justify better results.

CONCLUSIONS

Naturopathy and yoga, a non-pharmacological approach as demonstrated in this case has shown better prognosis in balancing the altered hormonal mechanisms. As per the knowledge of the author this is the first study explaining the efficacy of naturopathy and yoga in ameliorating hormonal imbalance. This inference is based on a single case study; larger randomized control trials are warranted to endorse the results further.

ACKNOWLEDEGEMENTS

The author would like to thank Ministry of AYUSH and the participant of this study for their support.

Funding: No funding sources Conflict of interest: None declared Ethical approval: Not required

REFERENCES

- Verma I, Sood R, Juneja S, Kaur S. Prevalence of hypothyroidism in infertile women and evaluation of response of treatment for hypothyroidism on infertility. Intern J Appl Basic Med Res. 2012;2:17-19.
- 2. Nair PMK, Nanda A. Naturopathic medicine in India. Focus on Altern Complement Therap. 2014;19:140-7.
- 3. Shevchuk NA. Possible use of repeated cold stress for reducing fatigue in chronic fatigue syndrome: a hypothesis. Behav Brain Funct. 2007;3:55.

- 4. Dhananjay A, Jincy S, Raghuraj P. Critical review on trends in hydrotherapy research. Int J Naturopathic Med. 2012;6:693-6.
- Gabrielsen A, Videbaek R, Johansen LB, Warberg J, Christensen NJ, Pump B et al. Forearm vascular and neuroendocrine responses to graded water immersion in humans. Acta Physiol Scand. 2000;169:87-94.
- Nguyen M, Revel M, Dougados M. Prolonged effects of 3 week therapy in a spa resort on lumbar spine, knee and hip osteoarthritis: follow-up after 6 months. A randomized controlled trial. Br J Rheumatol. 1997;36:77-81.
- 7. Chadzopulu A, Adraniotis J, Theodosopoulou E. The therapeutic effects of mud. Prog Health Sci. 2011;1:132-6.

- 8. Mahajan AS. Role of yoga in hormonal homeostasis. Int J Clin Exp Physiol. 2014;1:173-8.
- 9. Cochrane S, Smith CA, Possamai-Inesedy A, Bensoussan A. Acupuncture and women's health: an overview of the role of acupuncture and its clinical management in women's reproductive health. Intern J Women's Health. 2014;6:313-25.

Cite this article as: Nair PMK. Naturopathy and yoga in ameliorating multiple hormonal imbalance: a single case report. Int J Reprod Contracept Obstet Gynecol 2016;5:916-8.